

Project CY 8609

Describe the technical facility located vic:

SG1A



Within the following ten year period determine if and when any "special events" occur:



Note: If you do find any "special events" - - - subsequent sessions will be focused on each separate "special event."

SG1J

20 Feb 87
FL M. C. M. D.
1030

SUI

2

52

D

AI

FI

T

I

doc

HS

flat
hard

point of
impact

metallic

S4 1/2 specially prepared

wired

measures
compared

S4 1/2 when struck, it causes physical effects,
releases energy, particles & information.

S4 1/2 - idea that "projectile" is ^{caused to} ~~course~~ around circular/oval
"track" until desired speed/momentum/altitude is
achieved, then "switch" ^{setting} is altered to permit "projectile"
to be propelled/impelled into impact point.

S4 1/2 sense that any possible inhibitors or chance
object are removed, perhaps even to the point of
creating a vacuum along the track of the
"projectile" to avoid air friction or interference.

sz

D

A2

FI

T

I

WOL

dfs

SVI

clamps

stress

degrades

Surrounding

S4 1/2 in chamber what happens may occur very rapidly but for short duration, like a "burst" or "flash." No rhythmic pulse or repeat in chamber

S4 1/2 "Clamps" are high grade & high strength materials because subject to high degree of "stress" - not mechanical or physical stress but ^{uniform} ~~degradatory~~ deterioration over time.

molecular degradation

object
emanations?

tubes

spr

modified material

Stanchion

machines

equipment

devices

apparatus

power

Thermoplane

attributes

emanations?

intangible

heated

excited

agitated

resistant

"dangerous"

expected

calculated

phenomenological

Thermoplane

Subjects

emanations?

threshold

barrier

control

program

level

excitement

energy

release

accumulation

utilization

adjustment

Thermoplane
Topics
emanations?

primary
pro factory
adjacent

S U I

6

S₂

D

A₂

E₂

T

I

AOL

ALS

mass
composition

alloy

S₄/2 "98%" pure one element, but alloyed with
small amount of other material to improve
managable + performance.

element

heavy
dense

dark
solid

at B₆
Yuk
hard
fast
unpleasant

grainy

Like
Carbon
won't rot
black

to range

S₄/2 alloy material light ~ silver color

At B₆
Mercury

S U I

2

502

D

#2

FI

T

J

AL

AL

refined

S4 1/2 all possible impurities removed to increase predictability of desired effects + results.

outside of
material

dist

open
p.t.
mbr

"leg up"
process

locutus

S4 1/2 loose dirt + carb. light color - beige, ochre, with orange patches throughout. Austere, barren area. Relatively flat, though rolling. ~~Not~~ sparse population; low grassy vegetation with, after cold. material heat pressed, refined; impurities extracted - mechanically, then more refined extraction take ~~stuff~~ material out of impurities instead of vice versa. As material becomes more pure, its true dk grey color becomes more apparent.

1113